



○ シールド無FFC/FPC



(推奨仕様)

FPC構成
FPC STRUCTURE


表面処理 PLATING	仕様 SPECIFICATION
金めっき Au PLATING	Ni UNDER COAT:0.5μmMIN. Au:0.05~0.2μm



(推奨仕様)

FFC構成
FFC STRUCTURE






表面処理 PLATING	仕様 SPECIFICATION
金めっき Au PLATING	Ni UNDER COAT:0.5μmMIN. Au:0.05~0.2μm




	FFC	FPC
M	2.0±0.07	2.0±0.07
P	0.5±0.03	0.5±0.03
Tp	Tp±0.05	Tp±0.03
W	W±0.05	W±0.05
Wp	0.32±0.03	0.35±0.03

TOLERANCE / 一般公差(S)		PRODUCT SPEC / 製品規格								
X <10 ±0.2										
10≦ X <30 ±0.25		UNIT		ANGLE		REFER TO SHEET		1/4		
30≦ X ±0.3		mm		3RD		NO.		EDN/DCN	DATE	
						DATE		ISSUE	CHECKED	
ANGLE / 角度		SCALE		DATE		PART NAME / 品名				
±3°		NJS		2014/12/11		0.5mm PITCH FPC/FFC CONN.				
						VT SMT NON-ZIF TYPE				
DRAWN	DESIGNED	CHECKED	APPROVED	PART NO. / 型番						
N. NAKAJIMA	N. NAKAJIMA	Y. SHIROYAMA	Y. FUJII	04 6810 6XX 000 846 +						
				DWG NO. / 図番					SHEET/REV	
				BJS 6810003					13/4 L	


ROHS規制対応
COMPLIANT WITH
ROHS REGULATIONS



SECT. F-F
(S=6:1)



REEL DIMENSION (S=1:5)




NO.	DESCRIPTION	PART NO.	QTY	MATERIAL	DRW NO.	REMARKS
1	CONNECTOR	04 6810 6XX XXX 846 +	1200			00 6810 6XX XXX 846 +
2	EMBOSSSED TAPE		1	POLYSTYRENE		
3	TOP COVER TAPE		1	POLYSTYRENE		
4	REEL		1	POLYSTYRENE		

極 数 NO. OF POS.	A	B	C	D
10	11.5	---	24.0	30.4
20	14.2	28.4	32.0	38.4
30	20.2	40.4	44.0	50.4
35	20.2	40.4	44.0	50.4
40	20.2	40.4	44.0	50.4
45	26.2	52.4	56.0	62.4
50	26.2	52.4	56.0	62.4
60	26.2	52.4	56.0	62.4


※この表は4ページ目のみ適用
※THIS CHART IS APPLICABLE TO SHEET-4 ONLY.

注 記
NOTE

- 梱包数量 : 1200 個/リール
PACKING QUANTITY : 1200 ea/reel
- 納入時のリール巻き方向
REELING DIRECTION IN DELIVERY



- 引出し方向
USER DIRECTION OF FEED



- 型 番
P/N 04 6810 6XX 000 846 +

極 数
NO. OF POS.
バリエーション
VARIATION
0 : 通常タイプ THE USUAL KIND
バリエーション
VARIATION
0 : VT TYPE WITH GND CONT

めっき
PLATING
SINGNAL CONT Au
GND CONT Sn-Cu
SPRING Sn-Cu

※この注記の1~3は4ページ目のみ適用
※THESE NOTES 1 TO 3 ARE APPLICABLE TO SHEET-4 ONLY.

TOLERANCE / 一般公差 (S)		PRODUCT SPEC / 製品規格			
		POLYSTYRENE (CLEAR)			
X < 10 ± 0.2		UNIT mm		ANGLE 3RD	
10 $\leq$ X < 30 ± 0.25					
30 $\leq$ X ± 0.3		SCALE 3 : 2		DATE 2014/12/11	
ANGLE / 角度 $\pm 3^\circ$					
DRAWN N. NAKAJIMA	DESIGNED N. NAKAJIMA	CHECKED Y. SHIROYAMA	APPROVED Y. FUJII	PART NO. / 型番 04 6810 6XX 000 846 +	
DWG NO. / 図番 BJS 6810003				SHEET REV 14/4 L	

ROHS規制対応
COMPLIANT WITH
ROHS REGULATIONS