

1. 適用範囲

本仕様書は、8 0 1 6 シリーズカバー付き組立製品の箱詰め梱包に適用する。

2. 対象製品型番 2 / 4、3 / 4、4 / 4 頁参照

3. 梱包副資材 2 / 4、3 / 4、4 / 4 頁参照

4. 梱包方法

- ① コネクターを化粧箱に収納する。
- ② 製品を詰めた化粧箱を受注数に応じて外装箱に収納する。
- ③ 外装箱のフタを閉じて粘着テープ止めし現品票を貼付する。

5. 梱包詳細

- ① 端子無し品 (0 0 0) 2 / 4 頁参照
- ② 端子圧入品 (2 1 7 / 2 1 8 / 2 9 6 / 7 5 0) 3 / 4 頁参照
- ③ 端子添付品 (3 1 3) 4 / 4 頁参照

※端子は極数・梱包数に応じて総数1袋で添付する。

6. 型番表

00 8016 XXX XXX XXX XXX

インシュレーター : V, VL, HV, HVL, HV8, V04			
— PLUG スクリュー : 703, 704, 719, 720, 731, 732, 733, 743, 745, 747			
: 751, 753, 762, 764, 774, 775, 776, 789			
— PLUG ナット : 705, 706, 721, 722, 734, 735, 736, 752, 754, 788			
— REC スクリュー : 709, 710, 723, 724, 737, 738, 739, 748, 756, 758			
: 769, 770, 773, 780, 791			
— REC ナット : 711, 712, 725, 726, 740, 741, 742, 755, 757, 790			
— コンタクト : 000, 217, 218, 296, 313, 750			
— 極数 : 20, 38, 56, 90, 120			

☆現品票記入項目 製品型番
製品ロット番号
数量

1. Scope

This specification applies to box packing of assembled products with 8016 series cover.

2. Part number of applicable products (See page 2/4, 3/4, 4/4)

3. Packaging material (See page 2/4, 3/4, 4/4)

4. Packaging method

- ① Store the connector in a small box.
- ② Store small boxes filled with products in the outer box according to the number of orders received.
- ③ Close the lid of the exterior box, stop the adhesive tape and paste the actual item vote

5. Packing details

- ① Connector with cover (single item) See page 2/4
 - ② Connector with cover (press-fitted terminal) See page 3/4
 - ③ Connector with cover (attached item) See page 4/4
- ※ Attach the total number of terminals in one bag according to the number of poles and number of packing.



6. Model number table

00 8016 XXX XXX XXX XXX

インシュレーター : V, VL, HV, HVL, HV8, V04			
— PLUG スクリュー : 703, 704, 719, 720, 731, 732, 733, 743, 745, 747			
: 751, 753, 762, 764, 774, 775, 776, 789			
— PLUG ナット : 705, 706, 721, 722, 734, 735, 736, 752, 754, 788			
— REC スクリュー : 709, 710, 723, 724, 737, 738, 739, 748, 756, 758			
: 769, 770, 773, 780, 791			
— REC ナット : 711, 712, 725, 726, 740, 741, 742, 755, 757, 790			
— コンタクト : 000, 217, 218, 296, 313, 750			
— 極数 : 20, 38, 56, 90, 120			

☆A slip shall be filled in the part number, lot number and Q'ty.

REV.	CONTENTS	EDN/DCN	DATE	ISSUE	CHECKED	APPROVED
O	INITIAL VERSION	EDN-18056	2018/3/29	Y, Nakamura	T, Kameyama	Y, Shimizu

梱包仕様 PACKING SPECIFICATION		Series 8 0 1 6 WITH COVER ASSEMBLY PACKING			NO. 305-03-1111-2		REV 0	(2/4)	
2.対象型番 P/N	3.梱包副資材 PACKAGING MATERIAL					4.梱包収納数 Q'ty			
	PACKAGING MATERIAL		P/N		Size	極数 Pos.	化粧箱小 Inner C.	化粧箱中 Inner C.	外装箱
	化粧箱 小 Inner carton		95 9300 0018 20 107		80× 84×H25	20p	2		
	化粧箱 中 Outer carton		95 9300 0018 20 108		107×123×H40	38p/56p	1		
	緩衝材 Bubble wrap					90p/120p		1	
	外装箱 Outer carton								適宜
00 8016 XXX 000 XXX XXX									
インシュレーター：V,VL,HV,HVL,HV8,V04									
PLUGスクリュー：703,704,719,720,731,732,733,743,745,747									
751,753,762,764,774,775,776,789									
PLUGナット：705,706,721,722,734,735,736,752,754,788									
RECスクリュー：709,710,723,724,737,738,739,748,756,758									
769,770,773,780,791									
RECナット：711,712,725,726,740,741,742,755,757,790									
極数：20,38,56,90,120									
※BBB<731,734,737,740>,TTT<732,735,738,741>,TAS<733,736,739,740>は除く									
端子無し品 梱包仕様書 NO.305-03-1111-2<2/4> ※端子圧入品は3/4・端子添付品は4/4を参照のこと  バリエーション									
梱包例  ねじ Screw 4pcs. スクリュー付は先端部に緩衝材のこと 緩衝材 Bubble wrap 現品票 Identification label 化粧箱 Inner Carton									

梱包仕様 PACKING SPECIFICATION		Series 8 0 1 6 WITH COVER ASSEMBLY PACKING			NO. 305-03-1111-2		REV 0 (3/4)			
2.対象型番 P/N	3.梱包副資材 PACKAGING MATERIAL					4.梱包収納数 Q'ty				
	PACKAGING MATERIAL		P/N		Size		極数 Pos.	化粧箱小 Inner C.	化粧箱中 Inner C.	外装箱
	化粧箱 小 Inner carton		95 9300 0018 20 107		80× 84×H25		20p	2		
	化粧箱 中 Outer carton		95 9300 0018 20 108		107×123×H40		38p/56p	1		
	緩衝材 Bubble wrap						90p/120p		1	
	外装箱 Outer carton									適宜

00 8016 XXX XXX XXX XXX

インシュレーター：V,VL,HV,HVL,HV8,V04

— PLUGスクリュー：703,704,719,720,731,732,733,743,745,747
：751,753,762,764,774,775,776,789

— PLUGナット：705,706,721,722,734,735,736,752,754,788

— RECスクリュー：709,710,723,724,737,738,739,748,756,758
：769,770,773,780,791

— RECナット：711,712,725,726,740,741,742,755,757,790


— コンタクト：217,218,296,313,750

— 極数：20,38,56,90,120

※BBB<731,734,737,740>,TTT<732,735,738,741>,TAS<733,736,739,740>は除く


端子圧入品 梱包仕様書 NO.305-03-1111-2<3/4>

※端子無し品は2/4・端子添付品は4/4を参照のこと



バリエーション

梱包例



ねじ Screw 4pcs.

スクリー付は先端部に緩衝材のこと

緩衝材 Bubble wrap

現品票 Identification label

化粧箱 Inner Carton

305-03-1111-2

