REV F

本仕様書は、6287シリーズ コネクターの組立製品のエンボステープ梱包に適用する。

- 2. 対象製品型番 2/2頁参照
- 3. 梱包副資材 2/2頁参照
- 4. 梱包方法
 - (1) エンボステープ梱包
 - ①エンボステープポケットへ製品をエンボス Assy's 図に表記された 向きに1個ずつ詰め、トップテープを上面にヒートシーリングして リールに巻き取る。
 - ②リール巻き仕様

図のようにエンボステープの巻き始め200mm をダミーとして 巻き取り芯に粘着テープで止める。

製品を 2,500 個実装した後、更に巻き終わり 400 mm 以上の ダミー部を設ける。

最後にエンボステープを図の様に粘着テープ止めし、現品票を貼付する。

- (2) 外装箱梱包
 - ①製品を詰めたリールを外装箱に段重ねに収納する。
 - ②上部空間には緩衝材を詰める。
 - ③外装箱の封は市販粘着テープで行う。
 - ④現品票を側面に貼付する。

現品票記入項目 製品型番

製品ロット番号

数量

1. Scope

This specifies embossed packaging for assembly of connector of series 6287.

- 2. Part number of applicable products (See page 2/2)
- 3. Packaging material (See page 2/2)
- 4. Packaging method
- (1) Packaging of embossed tape
 - ①Put a connector into the pocket, seal the top tape, and reel it.
 - ②Fix the start of the top tape with an adhesive tape.

 Let the start of the embossed tape 200mm be no components
 Put 2,500pcs.connectors into the pocket.

 Let the end of the embossed tape 400mm be no components.

Fix the end of the tape with an adhesive tape and stick a slip.

- (2) Packaging of outer carton
 - ①Pack reels with connectors packaged in an outer carton.
 - ②Place an air packing on the top reels.
 - ③Fix the outer carton with an adhesive tape sold in the market.
 - (4)Stick a slip on the side face.

☆ A slip be filled in the customer's part number, lot number and Q'tv.

							_
REV.	CONTENTS	EDN/DCN	DATE	ISSUE	CHECKED	APPROVED	υ.
О	INITIAL VERSION	EDN-804	08/11/27	Y.SHINKAWA	Y.KOSHIMIZU	M.ICHIHARA	
D	Variation addition	DCN-061	12/05/17	Y,Nakamura	H,Suzuki	T,Nonomura	ζ.
E	A model number change	DCN-042	13/01/11	Y,Nakamura	H,Suzuki	N,Ninomiya	2
F	Variation addition	DCN-713	14/07/15	T.Makabe		Y.Fujii	

2.対象型番 P/N
04 6287 6** 011 868+
04 6287 6** 012 *** +
04 6287 665 013 868 +

梱包仕様 PACKING SPECIFICATION

5.他也則其外						
PACKAGING MATERIAL						
PACKAGING MATERIAL	P/N	Size				
Embossed tape of 24/32mm wide	98 6287 0** 001 000	12Pitch				
Embossed tape of 44/56mm wide	98 6287 0** 001 000	12Pitch				
Top tape of 24/32mm wide	95 9300 0018 60 032/013	T0.06 imes21.5/26.5mm wide				
Top tape of 44/56mm wide	95 9300 0018 60 014/015	$T0.06 \times 38.5 / 50.5$ mm wide				
Emboss reel of 24/32mm wide	95 9300 0018 40 133/134	ϕ 380 : 29.5/37.5mm wide				
Emboss reel of 44/56mm wide	95 9300 0018 40 135/136	ϕ 380 : 49.5/61.5mm wide				
Outer carton (Small)	95 9300 0018 20 114	385mm×385mm×H125mm				
Outer carton (Large)	95 9300 0018 20 115	385mm×385mm×H250mm				

3 烟旬副資材



