0 5

0

9 2

1. 適用範囲

本仕様書は、9215シリーズのコンタクトのリール梱包に適用する。

- 2. 対象製品型番 2/2頁参照
- 3. 梱包副資材 2/2頁参照
- 4. 梱包方法
 - (1) 1リール当り1,000個を巻取り,終端から更に3周層間紙を巻く。 リールの端に市販粘着テープを4箇所貼付する。
 - (2) 外装箱梱包
 - ①リール単位で現品票を貼付する。
 - ②外装箱に5リール(5,000個)を収納する。
 - ④外装箱の封は市販粘着テープで行う。
 - ⑤箱の側面に現品票を貼付する。

現品票は京セラ指定バーコード表示を原則とする。

現品票記入項目 対象型番 ロット番号 数量 1. Scope

This specifies Reel packaging for contact of series 9215.

- 2. Part number of applicable products (See page 2/2)
- 3. Packaging material (See page 2/2)
- 4. Packaging method
 - (1) Pack 1,000pcs.connectors into the reel.

 After that reel neutral sizing paper 3 times around the reel.

 Fix an adhesive tape on the four edges of the reel.
 - (2) Packaging of outer carton
 - ① I attach an item on display vote by a reel unit.
 - ② I store 5 reels (5,000) in a decoration box.
 - ③ I perform the seal of the decoration box with commercial adhesive tape.
 - ④ I attach an item on display vote on the side of the box

Bar code form of KYOCERA Corporation is standard.

☆A slip shall be filled in the part number, lot number and Q'ty.

							'
REV.	CONTENTS	EDN/DCN	DATE	ISSUE	CHECKED	APPROVED	2
О	INITIAL VERSION	EDN-225	15/05/12	Y,Nakamura	T,Hata	N,Hayashi	
A	Modification of model number	DCN-19316	19/05/15	T,Naito	K,Nakahara	T,Michihiro	0
В	Change packing quantity	DCN-20776	20/08/19	T,Naito	K,Nakahara	T,Michihiro	
							1 #->

