

1. 適用範囲

本仕様書は、8 0 7 1 シリーズ プラグコネクタの組立製品のマガジン梱包に適用する。

2. 対象製品型番 2, 3 / 3 頁参照

3. 梱包副資材 2, 3 / 3 頁参照

4. 梱包方法

(1) マガジン詰め

- ① 表を参考にマガジンケースに製品を適切な数量詰める。
ダミーストッパーを両端に詰める。
※ 社名表示面を基準に向きを統一する。

- ② 両端をストッパーで止める。

(2) 外装箱梱包

- ① 図を参考に製品を詰めたマガジンを束ね、両端をゴムバンド止めする。
- ② 外装箱の底に中敷板を敷き図の通りに収納する。
- ③ マガジンが動かないようにエアキャップを側面に詰め、上部には中敷板を敷く。
- ④ 外装箱の封は市販粘着テープで行う。
- ⑤ 現品票を貼付する。

現品票記入項目 対象型番
ロット番号
数量

1. Scope

This specifies magazine packaging for assembly of connector of series 8071.

2. Part number of applicable products (See page 2,3/3)

3. Packaging material (See page 2,3/3)

4. Packaging method

(1) Magazine packaging

- ① Put connectors into the magazine case refer to the list and insert assistance stoppers in both ends.
※ Then all connectors shall be placed in the same direction, refer to the surface of a magazine which KYOCERA mark printed.
- ② Insert stoppers in both ends.

(2) Outer carton packaging

- ① Bundle magazines, and band these magazines by rubber band on both ends.
- ② Lay an inner cushion board on the bottom of an outer carton. Pack magazines into the outer carton refer to the drawing.
- ③ Pack the air packing and lay an inner cushion board on the top of magazines.
- ④ Fix the outer carton with an adhesive tape.
- ⑤ Stick a slip.

☆A slip shall be filled in the part number, lot number and Q'ty.

REV.	CONTENTS	EDN/DCN	DATE	ISSUE	CHECKED	APPROVED
O	INITIAL VERSION	EDN-285	13/05/17	Y,Nakamura	H,Suzuki	M,Kanda
A	Model number specification	DCN-918	13/07/01	Y,Nakamura	H,Suzuki	M,Kanda
B	Specifications change	DCN-950	13/07/11	Y,Nakamura	N,Ninomiya	M,Kanda
C	Specifications change	DCN-18030	18/01/12	T,Kameyama	Y,Nakamura	Y,Shimizu

梱包仕様 PACKING SPECIFICATION		Series 8 0 7 1 ASSEMBLY OF MAGAZINE (PLUG SHORT TAIL)			NO. 305-03-979	REV C	(2/3)	
2.対象型番 P/N	3.梱包副資材 PACKAGING MATERIAL				4.梱包収納数 Q'ty			
	PACKAGING MATERIAL		P/N	Size	INS 極数・バリエーション INS Pos.& Variation	マガジン MAG.	外装箱(小) Outer C.(S) MAX 40 本	外装箱(中) OuterC.(M) MAX 50 本
	1*8071 *** ** *	マガジンケース Magazine case	95 9300 8071 10 202	560×20.3×20.2	77P WITH KEY	20	800	1,000
		ストッパー Stopper	95 9300 8071 10 178		127P WITH KEY	13	520	650
		ダミーストッパー Assistance stopper	95 9300 0018 22 026	19.2×8×3	150P WITH KEY	11	440	550
		カート 中パッド Inner cushion board	95 9300 0018 21 013	575×220×T5.0	154,169P WITH KEY	10	400	500
		カート 小パッド Inner cushion board	95 9300 0018 21 012	575×155×T5.0	133P WITHOUT KEY	13	520	650
		外装箱 (中) Outer carton(M)	95 9300 0018 20 058	586×236×H155	154P WITHOUT KEY	11	440	550
		外装箱 (小) Outer carton(S)	95 9300 0018 20 059	586×176×H115	175P WITHOUT KEY	10	400	500

Fig 1

560

アシスタント・ストッパー Assistance stopper

KYOCERA CONNECTOR PRODUCTS

(20.2)

Fig 2

10 MAGAZINE CASES
(5 本束×2 列=10 本)

KYOCERA CONNECTOR PRODUCTS

ゴムバンド Rubber band

Fig 3

マガジンケース (#202)
MAGAZINE CASES (#202)
(10 本束×5 列=50 本)

カート中/小 パッド
Inner cushion board

緩衝材 Air cap

マガジンケース (#202)
MAGAZINE CASES (#202)
(10 本束×4 列=40 本)

外装箱 中
Outer carton(M)

外装箱 小
Outer carton(S)

外装箱
Outer carton

Fig 4

カムテープ Adhesive tape

現品票 Slip

製品型番 Part number

ロット番号 Lot number

数量 Q'ty

305-03-979

梱包仕様 PACKING SPECIFICATION		Series 8 0 7 1 ASSEMBLY OF MAGAZINE (PLUG LONG TAIL)			NO. 305-03-979		REV C	(3/3)
2.対象型番 P/N	3.梱包副資材 PACKAGING MATERIAL				4.梱包収納数 Q'ty			
	PACKAGING MATERIAL		P/N	Size	INS 極数・バリエーション INS Pos.& Variation	マガジン MAG.	外装箱(小) Outer C.(S) スティック 25 本	外装箱(中) OuterC.(M) スティック 35 本
	1*8071 *** ** *	マガジンケース Magazine case	95 9300 8071 10 203	560×32.3×20.2	77P WITH KEY	20	500	700
		ストッパー Stopper	95 9300 8071 10 178		127P WITH KEY	13	325	455
		ダミーストッパー Assistance stopper	95 9300 0018 22 026	19.2×8×3	150P WITH KEY	11	275	385
		カート 中パッド Inner cushion board	95 9300 0018 21 013	575×220×T5.0	154,169P WITH KEY	10	250	350
		カート 小パッド Inner cushion board	95 9300 0018 21 012	575×155×T5.0	133P WITHOUT KEY	13	325	455
		外装箱 (中) Outer carton(M)	95 9300 0018 20 058	586×236×H155	154P WITHOUT KEY	11	275	385
		外装箱 (小) Outer carton(S)	95 9300 0018 20 059	586×176×H115	175P WITHOUT KEY	10	250	350

Fig 1

Fig 2

Fig 3

Fig 4

現品番 Slip	製品型番 Lot number	Part number
	真数 Q'ty	

305-03-979